

z/OS Introduction and Workshop

Security Server (RACF)



Unit objectives

After completing this unit, you should be able to:

- Describe RACF authentication process
- Describe SAF base 'element'
- List RACF commands
- List RACF options
- Understand significance of Protect All switch
- Run RACF administrator and auditor reports
- Reset passwords

RACF – Resource Access Control Facility

RACF (part of Security Server) and the other available packages are add-on products which provide the basic security framework on a z/OS mainframe

Identify and authenticate users

Authorize users to access protected resources

Log and report attempted unauthorized access

Control means of access to resources

RACF functions overview



Security
administration



User identification
and authorization




Audit and integrity reports
violation alerts



Resource
authorization
checking
and system
control

RACF Security Processing



RACF - System Authorization Facility (SAF)

SAF is part of z/OS

Uses RACF if it is present

Can also use an optional exit routine

SAF is a system service and is a common focal point for all products providing resource control.

SAF is invoked at control points within the code of the resource manager

RACF – Administration

ISPF RACF Panels

RACF Native Commands


TSO

Batch

Console (selected commands only)

RACF Utilities

RACF – Administration (Panels)




RACF – Commands...Page 1 of 2

ADDGROUP	(AG)	Add Group Profile
ADDSD	(AD)	Add Data Set Profile
ADDUSER	(AU)	Add User Profile
ALTDSD	(ALD)	Alter Data Set Profile
ALTGROUP	(ALG)	Alter Group Profile
ALTUSER	(ALU)	Alter User Profile
CONNECT	(CO)	Connect User to Group
DELDSD	(DD)	Delete Data Set Profile
DELGROUP	(DG)	Delete Group Profile
DELUSER	(DU)	Delete User Profile
HELP	Obtain RACF Help...TSO HELP racf cmd	
LISTDSD	(LD)	List Data Set Profile
LISTGRP	(LG)	List Group Profile
LISTUSER	(LU)	List User Profile
PASSWORD	(PW)	Specify User Password
PERMIT	(PE)	Maintain Resource Access Lists


RACF – Commands...Page 2 of 2

RACDCERT	RACF Digital Certificate
RACLINK	Administer User ID Associations
RACPRIV	Set Write-Down Privileges
RALTER	(RALT) Alter General Resource Profile
RDEFINE	(RDEF) Define General Resource Profile
RDELETE	(RDEL) Delete General Resource Profile
REMOVE	(RE) Remove User from Group
RESTART	Restart RRSF Functions
RLIST (RL)	List General Resource Profile
RVARY	Change Status of RACF Database
SEARCH	(SR) Search RACF Database
SETROPTS	(SETR) Set RACF Options
SIGNOFF	Sign Off Sessions
STOP	Shutdown RRSF
TARGET	Define RRSF Nodes

RACF - Structure Overview



RACF – System Options




```
Class - svscmvx
File Edit View Communication Actions Window Help

READY
setropts list
ATTRIBUTES = INITSTATS WHEN(PROGRAM -- BASIC) SAUDIT CMDVIOL NOOPERAUDIT
STATISTICS = DATASET DASDVOL GDASDVOL GTERMINL OPERCMDS TAPEVOL TERMINAL
AUDIT CLASSES = NONE
ACTIVE CLASSES = DATASET USER GROUP ACCTNUM AIMS APPL CBIND CIMS CONSOLE
                  DASDVOL DIMS DSNR EJBROLE FACILITY FIELD GDASDVOL GEJBROLE
                  GIMS GXFACILI IIMS JIMS LIMS MIMS OPERCMDS PERFGRP PTKTDATA
                  PTKTVAL SERVER STARTED TIMS TSOAUTH TSOPROC UNIXPRIV
                  XFACILIT
GENERIC PROFILE CLASSES = DATASET ACCTNUM ACICSPCT AIMS ALCSAUTH APPCLU
                           APPCPORT APPCSERV APPCSI APPCTP APPL CACHECLS
                           CBIND CCICSCMD CIMS CONSOLE CPSMOBJ CPSMXMP
                           CRYPTOZ CSFKEYS CSFSERV DASDVOL DBNFORM DCEUUIDS
                           DCICSDCT DEVICES DIGTCERT DIGTCRIT DIGTNMAP
                           DIGTRING DIRACC DIRAUTH DIRECTORY DIRSRCH DLFCCLASS
                           DSNADM DSNR EJBROLE FACILITY FCICSFCT FIELD
                           FILE FIMS FSOBJ FSSEC GMBR IBMOPC IIMS ILMADMIN
                           INFOMAN IPCOBJ JAVA JCICSJCT JESINPUT JESJOBS
                           JESSPOOL KEYSMSTR LDAPBIND LFSCCLASS LIMS LOGSTRM
                           MCICSPPT MDSNBP MDSNCL MDSNDB MDSNJR MDSNPK
                           MDSNPN MDSNSC MDSNSG MDSNSM MDSNSP MDSNTB
                           MDSNTS MDSNUF MDSNUT MGMTCLAS MQADMIN MQCHAN
                           MQCMDS MQCONN MQNLIST MQPROC MQQUEUE MXADMIN
                           MXNLIST MXPROC MXQUEUE MXTOPIC NDSLINK NETCMDS
                           NETSPAN NODES NODMBR NOTELINK NYASAPDT OIMS
                           OPERCMDS PCICSPSB PERFGRP PIMS PMBR PRINTSRV
                           PROCACT PROCESS PROPCNTL PSFMPL PTKTDATA PTKTVAL
                           RACFEVNT RACFVARS RACGLIST RACHCMBR RAUDITX
                           RCICSRES RDATA LIB RIMS RMTOPS RODMMGR ROLE
                           RRSFDATA RVARSMBR SCDMBR SCICSTST SDSF SERVAUTH

***
Ma a
Connected to remote server/host 204.90.115.184 using lu/pool TCP00018 and port 623
```

RACF – System Options



```
Class - svscmvx
File Edit View Communication Actions Window Help

SERVER SFSCMD SIMS SMESAGE SOMDOBJ S STARTED
STORCLAS SUBSYSNM SURROGAT SYSMVIEW TAPEVOL
TCICSTRN TEMPDSN TERMINAL TIMS TMEADMIN TSOAUTH
TSOPROC UNIXMAP UNIXPRIV VMBATCH VMBR VMCMD
VMLAN VMMAC VMMDISK VMNODE VMPOSIX VMRDR VMSEGMT
VTAMAPPL VXMBR WRITER XCSFKEY XFACILIT

GENERIC COMMAND CLASSES = DATASET ACCTNUM ACICSPCT AIMS ALCSAUTH APPCLU
APPCPORT APPCSERV APPCSI APPCTP APPL CACHECLS
CBIND CCICSCMD CIMS CONSOLE CPSMOBJ CPSMXMP
CRYPTOZ CSFKEYS CSFSERV DASDVOL DBNFORM DCEUIDS
DCICSDCT DEVICES DIGTCERT DIGTCRIT DIGTNMAP
DIGTRING DIRACC DIRAUTH DIRECTRY DIRSRCH DLFCLASS
DSNADM DSNR EJBROLE FACILITY FCICSFCT FIELD
FILE FIMS FSOBJ FSSEC GMBR IBMOPC IIMS ILMADMIN
INFOMAN IPCOBJ JAVA JCICSJCT JESINPUT JESJOBS
JESSPOOL KEYSMSTR LDAPBIND LFSCCLASS LIMS LOGSTRM
MCICSPPT MDSNBP MDSNCL MDSNDB MDSNJR MDSNPK
MDSNPN MDSNSC MDSNSG MDSNSM MDSNSP MDSNSQ MDSNTB
MDSNTS MDSNUF MDSNUT MGMTCLAS MQADMIN MQCHAN
MQCMDS MQCONN MQNLIST MQPROC MQQUEUE MXADMIN
MXNLIST MXPROC MXQUEUE MXTOPIC NDSLINK NETCMDS
NETSPAN NODES NODMBR NOTELINK NVASAPDT OIMS
OPERCMS PCICSPSB PERFGRP PIMS PMBR PRINTSRV
PROCACT PROCESS PROPCNTL PSFMPL PTKTDATA PTKTVAL
RACFEVNT RACFVARS RACGLIST RACHCMBR RAUDITX
RCICSRRES RDATA LIB RIMS RMTOPS RODMMGR ROLE
RRSFDATA RVARSMBR SCDMBR SCICSTST SDSF SERVAUTH
SERVER SFSCMD SIMS SMESAGE SOMDOBJ S STARTED
STORCLAS SUBSYSNM SURROGAT SYSMVIEW TAPEVOL
TCICSTRN TEMPDSN TERMINAL TIMS TMEADMIN TSOAUTH
TSOPROC UNIXMAP UNIXPRIV VMBATCH VMBR VMCMD

***
MA a
Connected to remote server/host 204.90.115.184 using lu/pool TCP00018 and port 623
```

RACF – System Options

```
Class - svscmvx
File Edit View Communication Actions Window Help


VMLAN VMMAC VMMDISK VMNODE VMPOSIX VMRDR VMSEGMT
VTAMAPPL VXMBR WRITER XCSFKEY XFACILIT

GENLIST CLASSES = NONE
GLOBAL CHECKING CLASSES = NONE
SETR RACLIST CLASSES = ACCTNUM APPL CBIND CONSOLE DSNR FACILITY FIELD
                        OPERCMDS PERFGRP PTKTDATA PTKTVAL SERVER STARTED
                        TSOAUTH TSOPROC UNIXPRIV XFACILIT

GLOBAL=YES RACLIST ONLY = NONE
LOGOPTIONS "ALWAYS" CLASSES = NONE
LOGOPTIONS "NEVER" CLASSES = NONE
LOGOPTIONS "SUCCESSSES" CLASSES = NONE
LOGOPTIONS "FAILURES" CLASSES = NONE
LOGOPTIONS "DEFAULT" CLASSES = DATASET ACCTNUM ACICSPCT AIMS ALCSAUTH
                                APPCLU APPCPORT APPCSERV APPCSI APPCTP
                                APPL BCICSPCT CACHECLS CBIND CCICSCMD
                                CDT CFIELD CIMS CONSOLE CPSMOBJ CPSMXMP
                                CRYPTOZ CSFKEYS CSFSERV DASDVOL DBNFORM
                                DCEUIDS DCICSDCT DEVICES DIGTCERT DIGTCRIT
                                DIGTNMAP DIGTRING DIMS DIRACC DIRAUTH
                                DIRECTORY DIRSRCH DLFCLASS DSNADM DSNR
                                ECICSDCT EJBROLE FACILITY FCICSFCT FIELD
                                FILE FIMS FSOBJ FSSEC GCICSTRN GCPSMOBJ
                                GCSFKEYS GDASDVOL GDSNBP GDSNCL GDSNDB
                                GDSNJR GDSNPK GDSNPN GDSNSC GDSNSG GDSNSM
                                GDSNSP GDSNSQ GDSNTB GDSNTS GDSNUF GDSNUT
                                GEJBROLE GIMS GINFOMAN GLOBAL GMBR GMQADMIN
                                GMQCHAN GMQNLIST GMQPROC GMQQUEUE GMXADMIN
                                GMXNLIST GMXPROC GMXQUEUE GMXTOPIC GSDFS
                                GSOMDOBJ GTERMINL GXCSFKEY GXFACILI HCICSFCT
                                HIMS IBMOPC IDIDMAP IIMS ILMADMIN INFOMAN
                                IPCOBJ JAVA JCICSJCT JESINPUT JESJOBS

***
M0 a
Connected to remote server/host 204.90.115.184 using lu/pool TCP00018 and port 623
```

RACF – System Options




```
Class - svscmvx
File Edit View Communication Actions Window Help

JESSPOOL JIMS KCICSJCT KERBLINK KEYSMSTR
LDAPBIND LFSCCLASS LIMS LOGSTRM MCICSPPT
MDSNBP MDSNCL MDSNDB MDSNJR MDSNPK MDSNPN
MDSNSC MDSNSG MDSNSM MDSNSP MDSNSQ MDSNTB
MDSNTS MDSNUF MDSNUT MGMTCLAS MIMS MQADMIN
MQCHAN MQCMDS MQCONN MQNLIST MQPROC MQQUEUE
MXADMIN MXNLIST MXPROC MXQUEUE MXTOPIC
NCICSPPT NDSLINK NETCMDS NETSPAN NODES
NODMBR NOTELINK NVASAPDT QIMS OPERCMDS
PCICSPSB PERFGRP PIMS PMBR PRINTSRV PROCACT
PROCESS PROGRAM PROPCNTL PSFMPL PTKTDATA
PTKTVAL QCICSPSB QIMS RACFEVNT RACFHC
RACFVARS RACGLIST RACHCMBR RAUDITX RCICSRES
RDATA LIB REALM RIMS RMTOPS RODMMGR ROLE
RRSFDATA RVARSMBR SCDMBR SCICSTST SDSF
SECDATA SECLABEL SECLMBR SERVAUTH SERVER
SFSCMD SIMS SMESAGE SOMDOBJ S STARTED
STORCLAS SUBSYSNM SURROGAT SYSMVIEW TAPEVOL
TCICSTRN TEMPODSN TERMINAL TIMS TMEADMIN
TSOAUTH TSOPROC UCICSTST UIMS UNIXMAP
UNIXPRIV VCICSCMD VMBATCH VMBR VMCMO VMEVENT
VMLAN VMMAC VMMDISK VMNODE VMPOSIX VMRDR
VMSEGMT VMXEVENT VTAMAPPL VXMBR WCICSRES
WIMS WRITER XCSFKEY XFACILIT

AUTOMATIC DATASET PROTECTION IS IN EFFECT
ENHANCED GENERIC NAMING IS NOT IN EFFECT
REAL DATA SET NAMES OPTION IS INACTIVE
JES-BATCHALLRACF OPTION IS INACTIVE
JES-XBMALLRACF OPTION IS INACTIVE
JES-EARLYVERIFY OPTION IS INACTIVE
PROTECT-ALL OPTION IS NOT IN EFFECT
***


MA
Connected to remote server/host 204.90.115.184 using lu/pool TCP00018 and port 623
```

RACF – System Options



```
Class - svscmvx
File Edit View Communication Actions Window Help
TAPE DATA SET PROTECTION IS INACTIVE
SECURITY RETENTION PERIOD IN EFFECT IS      0 DAYS.
ERASE-ON-SCRATCH IS INACTIVE
SINGLE LEVEL NAMES NOT ALLOWED
LIST OF GROUPS ACCESS CHECKING IS ACTIVE.
INACTIVE USERIDS ARE NOT BEING AUTOMATICALLY REVOKED.
NO DATA SET MODELLING BEING DONE.
PASSWORD PROCESSING OPTIONS:
  PASSWORD CHANGE INTERVAL IS  60 DAYS.
  PASSWORD MINIMUM CHANGE INTERVAL IS  0 DAYS.
  MIXED CASE PASSWORD SUPPORT IS NOT IN EFFECT
  NO PASSWORD HISTORY BEING MAINTAINED.
  USERIDS NOT BEING AUTOMATICALLY REVOKED.
  NO PASSWORD EXPIRATION WARNING MESSAGES WILL BE ISSUED.
  NO INSTALLATION PASSWORD SYNTAX RULES ARE PRESENT.
DEFAULT RVARV PASSWORD IS IN EFFECT FOR THE SWITCH FUNCTION.
DEFAULT RVARV PASSWORD IS IN EFFECT FOR THE STATUS FUNCTION.
SECLEVELAUDIT IS INACTIVE
SECLABEL AUDIT IS NOT IN EFFECT
SECLABEL CONTROL IS NOT IN EFFECT
GENERIC OWNER ONLY IS NOT IN EFFECT
COMPATIBILITY MODE IS NOT IN EFFECT
MULTI-LEVEL QUIET IS NOT IN EFFECT
MULTI-LEVEL STABLE IS NOT IN EFFECT
NO WRITE-DOWN IS NOT IN EFFECT
MULTI-LEVEL ACTIVE IS NOT IN EFFECT
CATALOGUED DATA SETS ONLY, IS NOT IN EFFECT
USER-ID FOR JES NJEUSERID IS : ?????????
USER-ID FOR JES UNDEFINEDUSER IS : ++++++++
PARTNER LU-VERIFICATION SESSIONKEY INTERVAL MAXIMUM/DEFAULT IS      30 DAYS.
APPLAUDIT IS NOT IN EFFECT
***
MA a
Connected to remote server/host 204.90.115.184 using lu/pool TCP00018 and port 623
```


RACF – System Options




```
Class - svscmvx
File Edit View Communication Actions Window Help
ADDCREATOR IS IN EFFECT
KERBLVL = 0
MULTI-LEVEL FILE SYSTEM IS NOT IN EFFECT
MULTI-LEVEL INTERPROCESS COMMUNICATIONS IS NOT IN EFFECT
MULTI-LEVEL NAME HIDING IS NOT IN EFFECT
SECURITY LABEL BY SYSTEM IS NOT IN EFFECT
PRIMARY LANGUAGE DEFAULT : ENU
SECONDARY LANGUAGE DEFAULT : ENU
READY

MA
Connected to remote server/host 204.90.115.184 using lu/pool TCP00018 and port 623
```




RACF Profile checking
when Protect All in effect






RACF Profile checking
when Protect All **NOT** in effect



RACF – User Profiles




```
Class - svscmvx
File Edit View Communication Actions Window Help

READY
listuser zibm000 tso omvs
USER=ZIBM000 NAME=UNKNOWN OWNER=SYS1 CREATED=10.039
DEFAULT-GROUP=GROUP1 PASSDATE=10.040 PASS-INTERVAL= 60 PHRASEDATE=N/A
ATTRIBUTES=OPERATIONS
REVOKE DATE=NONE RESUME DATE=NONE
LAST-ACCESS=10.048/17:24:24
CLASS AUTHORIZATIONS=NONE
NO-INSTALLATION-DATA
NO-MODEL-NAME
LOGON ALLOWED (DAYS) (TIME)
-----
ANYDAY ANYTIME
GROUP=GROUP1 AUTH=USE CONNECT-OWNER=SYS1 CONNECT-DATE=10.039
CONNECTS= 74 UACC=NONE LAST-CONNECT=10.048/17:24:24
CONNECT ATTRIBUTES=NONE
REVOKE DATE=NONE RESUME DATE=NONE
SECURITY-LEVEL=NONE SPECIFIED
CATEGORY-AUTHORIZATION
NONE SPECIFIED
SECURITY-LABEL=NONE SPECIFIED

TSO INFORMATION
-----
ACCTNUM= FB3
HOLDCLASS= X
JOBCLASS= A
MSGCLASS= X
PROC= DBPROC9G
SIZE= 00032768
***
MA a
Connected to remote server/host 204.90.115.184 using lu/pool TCP00018 and port 623
```

RACF – User Profiles



```
Class - svscmvx
File Edit View Communication Actions Window Help
MAXSIZE= 01024000
SYSOUTCLASS= X
USERDATA= 0000
COMMAND=


OMVS INFORMATION
-----
UID= 00000000500
HOME= /u/zibm000
PROGRAM= /bin/sh
CPUTIMEMAX= NONE
ASSIZEMAX= NONE
FILEPROCMAx= NONE
PROCUSERMAX= NONE
THREADSMAX= NONE
MMAPAREAMAX= NONE

READY
```

MA a

Connected to remote server/host 204.90.115.184 using lu/pool TCP00018 and port 623

RACF – Group Profiles



```
Class - svscmvx
File Edit View Communication Actions Window Help

READY
listgrp group1 omvs
INFORMATION FOR GROUP GROUP1
SUPERIOR GROUP=SYS1          OWNER=SYS1          CREATED=90.014
INSTALLATION DATA=SYSTEM PROGRAMMING - WIDE AUTHORITY
NO MODEL DATA SET
TERMUACC
SUBGROUP(S)=  GROUPZ      OMVSGRP  TTY          IMWEB      UUCPG      GROUPY
                SSHDG      STCGROUP
USER(S)=        ACCESS=        ACCESS COUNT=        UNIVERSAL ACCESS=
SVTSCU          USE            001680                NONE
CONNECT ATTRIBUTES=NONE
REVOKE DATE=NONE
DCEADM          USE            000001                NONE
CONNECT ATTRIBUTES=NONE
REVOKE DATE=NONE
IBMUSER         USE            000000                NONE
CONNECT ATTRIBUTES=NONE
REVOKE DATE=NONE
STCOPER         USE            000000                NONE
CONNECT ATTRIBUTES=SPECIAL OPERATIONS
REVOKE DATE=NONE
DB2ADM          USE            000000                NONE
CONNECT ATTRIBUTES=NONE
REVOKE DATE=NONE
DB2DAL          USE            000015                NONE
CONNECT ATTRIBUTES=NONE
REVOKE DATE=NONE
USER1           USE            000000                NONE
CONNECT ATTRIBUTES=NONE

***
MA a
Connected to remote server/host 204.90.115.184 using lu/pool TCP00019 and port 623
```

RACF – Group Profiles

The image shows a Windows command prompt window titled "Class - svscmvx". The window has a menu bar with "File", "Edit", "View", "Communication", "Actions", "Window", and "Help". The main area displays a series of commands and their outputs. The commands are: REVOKE DATE=NONE, USER2 USE, CONNECT ATTRIBUTES=NONE, REVOKE DATE=NONE, CICSTS41 USE, CONNECT ATTRIBUTES=NONE, REVOKE DATE=NONE, CICSTS32 USE, CONNECT ATTRIBUTES=NONE, REVOKE DATE=NONE, DASUSER USE, CONNECT ATTRIBUTES=NONE, REVOKE DATE=NONE, ZIBM000 USE, CONNECT ATTRIBUTES=NONE, REVOKE DATE=NONE, ZIBM001 USE, CONNECT ATTRIBUTES=NONE, REVOKE DATE=NONE, ZIBM002 USE, CONNECT ATTRIBUTES=NONE, REVOKE DATE=NONE, ZIBM003 USE, CONNECT ATTRIBUTES=NONE, REVOKE DATE=NONE, ZIBM004 USE, CONNECT ATTRIBUTES=NONE, REVOKE DATE=NONE, ZIBM005 USE, CONNECT ATTRIBUTES=NONE, REVOKE DATE=NONE. The outputs are: 000000, 000000, 000000, 000000, 000000, 000000, 000000, 000000, 000000, 000000, 000000, 000074, 000001, 000000, 000000, 000000, 000000, 000000, 000000, 000000, 000000, 000000, 000000. The window also shows a status bar at the bottom indicating "Connected to remote server/host 204.90.115.184 using lu/pool TCP00019 and port 623".

RACF – Group Profiles

```
Class - svscmvx
File Edit View Communication Actions Window Help


      REVOKE DATE=NONE
ZIBM027      USE      000000      RESUME DATE=NONE
      CONNECT ATTRIBUTES=NONE      NONE
      REVOKE DATE=NONE
ZIBM028      USE      000000      RESUME DATE=NONE
      CONNECT ATTRIBUTES=NONE      NONE
      REVOKE DATE=NONE
ZIBM029      USE      000000      RESUME DATE=NONE
      CONNECT ATTRIBUTES=NONE      NONE
      REVOKE DATE=NONE
ZIBM030      USE      000005      RESUME DATE=NONE
      CONNECT ATTRIBUTES=NONE      NONE
      REVOKE DATE=NONE
ZIBM101      USE      000000      RESUME DATE=NONE
      CONNECT ATTRIBUTES=NONE      NONE
      REVOKE DATE=NONE
ZIBM102      USE      000000      RESUME DATE=NONE
      CONNECT ATTRIBUTES=NONE      NONE
      REVOKE DATE=NONE
ZIBM103      USE      000000      RESUME DATE=NONE
      CONNECT ATTRIBUTES=NONE      NONE
      REVOKE DATE=NONE
ZIBM100      USE      000001      RESUME DATE=NONE
      CONNECT ATTRIBUTES=NONE      NONE
      REVOKE DATE=NONE
      RESUME DATE=NONE

OMVS INFORMATION
-----
GID= 000000000000
READY
```

MA a

Connected to remote server/host 204.90.115.184 using lu/pool TCP00019 and port 623

RACF – Data Set & General Resource Profiles



```
Class - svscmvx
File Edit View Communication Actions Window Help

|
READY
ld da('zibm000.*') all
INFORMATION FOR DATASET ZIBM000.* (G)

LEVEL      OWNER      UNIVERSAL ACCESS  WARNING  ERASE
-----
  00      ZIBM000      NONE              NO        NO

AUDITING
-----
FAILURES(READ)

NOTIFY
-----
NO USER TO BE NOTIFIED

YOUR ACCESS  CREATION GROUP  DATASET TYPE
-----
  ALTER      SYS1            NON-VSAM


GLOBALAUDIT
-----
  NONE

NO INSTALLATION DATA

              SECURITY LEVEL
-----
NO SECURITY LEVEL

***
MA a
Connected to remote server/host 204.90.115.184 using lu/pool TCP00019 and port 623
```

RACF – Data Set & General Resource Profiles



```
Class - svscmvx
File Edit View Communication Actions Window Help
CATEGORIES
-----
NO CATEGORIES

SECLABEL
-----
NO SECLABEL

CREATION DATE    LAST REFERENCE DATE    LAST CHANGE DATE
(DAY) (YEAR)      (DAY) (YEAR)           (DAY) (YEAR)
-----
  039      10      NOT APPLICABLE FOR GENERIC PROFILE

ALTER COUNT    CONTROL COUNT    UPDATE COUNT    READ COUNT
-----
NOT APPLICABLE FOR GENERIC PROFILE


  ID      ACCESS
-----
NO ENTRIES IN STANDARD ACCESS LIST

  ID      ACCESS    CLASS      ENTITY NAME
-----
NO ENTRIES IN CONDITIONAL ACCESS LIST
READY
```

MA a

Connected to remote server/host 204.90.115.184 using lu/pool TCP00019 and port 623

RACF – Data Set & General Resource Profiles



```
Class - svscmvx
File Edit View Communication Actions Window Help

READY
rlist acctnum * all
CLASS          NAME
-----
ACCTNUM        FB3

LEVEL  OWNER          UNIVERSAL ACCESS  YOUR ACCESS  WARNING
-----
  00    IBMUSER              NONE              READ         NO

INSTALLATION DATA
-----
NONE

APPLICATION DATA
-----
NONE

SECLEVEL
-----
NO SECLEVEL

CATEGORIES
-----
NO CATEGORIES

SECLABEL
-----
NO SECLABEL

***
```

MA a

Connected to remote server/host 204.90.115.184 using lu/pool TCP00019 and port 623

RACF – Data Set & General Resource Profiles

```
Class - svscmvx
File Edit View Communication Actions Window Help

AUDITING
-----
FAILURES(READ)

GLOBALAUDIT
-----
NONE

NOTIFY
-----
NO USER TO BE NOTIFIED


CREATION DATE      LAST REFERENCE DATE    LAST CHANGE DATE
(DAY) (YEAR)        (DAY) (YEAR)          (DAY) (YEAR)
-----
   014    90         014    90         014    90

ALTER COUNT      CONTROL COUNT      UPDATE COUNT      READ COUNT
-----
  000001        000001        000001        000001

USER      ACCESS      ACCESS COUNT
-----
GROUP1    READ          000000
SYS1      READ          000000
DASUSER   READ          000000
ZIBM000   READ          000000
ZIBM001   READ          000000
ZIBM002   READ          000000
ZIBM003   READ          000000
ZIBM004   READ          000000
***
-

Mâ a
Connected to remote server/host 204.90.115.184 using lu/pool TCP00019 and port 623
```

RACF – Resource Classes



```
Class - svscmvx
File Edit View Communication Actions Window Help

READY
rl
IKJ56700A ENTER CLASS NAME -
tsoauth
IKJ56700A ENTER ENTITY NAME -
*
CLASS      NAME
-----
TSOAUTH    ACCT

LEVEL  OWNER      UNIVERSAL ACCESS  YOUR ACCESS  WARNING
-----
  00    SYS1              NONE              READ         NO

INSTALLATION DATA
-----
NONE

APPLICATION DATA
-----
NONE

AUDITING
-----
FAILURES(READ)


GLOBALAUDIT
-----
NONE

***
```

MA a

Connected to remote server/host 204.90.115.184 using lu/pool TCP00019 and port 623

RACF – Resource Classes



The screenshot shows a terminal window titled "Class - svscmvx" with a menu bar (File, Edit, View, Communication, Actions, Window, Help). The output is in red text on a white background. It starts with a "NOTIFY" section, followed by a table of resource classes. The table has columns: CLASS, NAME, LEVEL, OWNER, UNIVERSAL ACCESS, YOUR ACCESS, and WARNING. The first row shows "TSOAUTH" and "CONSOLE" with levels "00" and "GROUP1", universal access "NONE", your access "READ", and warning "NO". Below the table are sections for "INSTALLATION DATA", "APPLICATION DATA", "AUDITING", and "GLOBALAUDIT", all showing "NONE". The window ends with another "NOTIFY" section and three asterisks. A status bar at the bottom shows "MA" and "a" icons, and a message: "Connected to remote server/host 204.90.115.184 using lu/pool TCP00019 and port 623".

```
Class - svscmvx
File Edit View Communication Actions Window Help

NOTIFY
-----
NO USER TO BE NOTIFIED

CLASS      NAME
-----
TSOAUTH    CONSOLE

LEVEL  OWNER      UNIVERSAL ACCESS  YOUR ACCESS  WARNING
-----
  00    GROUP1          NONE              READ         NO

INSTALLATION DATA
-----
DEFINITIONS TO GET TSO/E EXTENDED CONSOLES

APPLICATION DATA
-----
NONE

AUDITING
-----
FAILURES(READ)


GLOBALAUDIT
-----
NONE

NOTIFY
***
```

MA a

Connected to remote server/host 204.90.115.184 using lu/pool TCP00019 and port 623

RACF – Resource Classes



Class - svscmvx

File Edit View Communication Actions Window Help

NO USER TO BE NOTIFIED

CLASS NAME

TS0AUTH JCL

LEVEL	OWNER	UNIVERSAL ACCESS	YOUR ACCESS	WARNING
-----	-----	-----	-----	-----
00	SYS1	NONE	READ	NO

INSTALLATION DATA

NONE

APPLICATION DATA

NONE

AUDITING

FAILURES(READ)

GLOBALAUDIT


NONE

NOTIFY

MA a

Connected to remote server/host 204.90.115.184 using lu/pool TCP00019 and port 623

RACF – Resource Classes



```
Class - svscmvx
File Edit View Communication Actions Window Help

CLASS      NAME
-----
TSOAUTH    OPER

LEVEL      OWNER      UNIVERSAL ACCESS  YOUR ACCESS  WARNING
-----
  00      SYS1              NONE          READ        NO

INSTALLATION DATA
-----
NONE

APPLICATION DATA
-----
NONE


AUDITING
-----
FAILURES(READ)

GLOBALAUDIT
-----
NONE

NOTIFY
-----
NO USER TO BE NOTIFIED

***
MA a
Connected to remote server/host 204.90.115.184 using lu/pool TCP00019 and port 623
```


RACF – TSO Command Help



```
Class - svscmvx
File Edit View Communication Actions Window Help

READY
help rlist

FUNCTION
RLIST (List general resource profile)

Use the RLIST command to display information on resources
belonging to classes specified in the class descriptor table. Note
that the DATASET, USER, and GROUP classes are not defined in the
class descriptor table.

Note: The RLIST command might provide unpredictable results when
searching on the DIGTCERT and DIGTRNG classes. Due to the
lowercase characters in these classes, the profile filter on
the RLIST command might not function correctly.

RACF uses the class descriptor table to determine if a class is
defined to RACF, the syntax of resource names within the class,
and whether the class is a resource grouping class.

Profiles are listed in alphabetical order. Generic profiles are
listed in the same order as they are searched for a resource
match. (This also applies to the names in the global access
table.)

RACF date handling: RACF interprets dates with 2-digit years as
follows. (The yy value represents the 2-digit year.)
* If 70 < yy <= 99, the date is interpreted as 19yy.
* If 00 <= yy <= 70, the date is interpreted as 20yy.

***
MA a
Connected to remote server/host 204.90.115.184 using lu/pool TCP00019 and port 623
```

RACF – TSO Command Help

Class - svscmvx

File Edit View Communication Actions Window Help

Issuing options

The following table identifies the eligible options for issuing the RLIST command:

As a RACF TSO command?	As a RACF operator command?	With command direction?	With automatic command direction?	From the RACF parameter library?
Yes	Yes	Yes	No	Yes

For information on issuing this command as a RACF TSO command or as a RACF operator command, see z/OS Security Server RACF Command Language Reference.

You must be logged on to the console to issue this command as a RACF operator command.


Related commands

- * To list a data set profile, see "LISTDSD (List data set profile)".
- * To list a user profile, see "LISTUSER (List user profile)".
- * To list a group profile, see "LISTGRP (List group profile)".
- * To obtain a list of general resource profiles, see "SEARCH (Search RACF database)".

MA a

Connected to remote server/host 204.90.115.184 using lu/pool TCP00019 and port 623

RACF – TSO Command Help



```
Class - svscmvx
File Edit View Communication Actions Window Help

Details listed

This command lists the information in an existing profile for the
resource or resource group.

The details that are given for each profile are:
* The resource class.
* The name of the resource.
* The cross-reference class name (that is, the member class name
  for resource groups or the group name for non-group resources).
* If the resource named in the command (in the resource-name
  operand) is a resource group, RACF lists member resources.
* The level of the resource.
* The owner of the resource.
* The type of access attempts (as specified by the AUDIT operand
  on the RDEFINE or RALTER command) that are being logged on the
  SMF data set.
* The user, if any, to be notified when RACF uses this profile to
  deny access to the resource.
* The universal access authority for the resource.
* Your highest level of access authority to the resource.
* The installation-defined data (information specified in the
  DATA operand of the RALTER or RDEFINE commands).

If your z/OS installation is configured to be a
multilevel-secure environment, this information is not listed
in your output. * SUPPRESSED * appears under the installation
data field. Only those with SPECIAL are allowed to list the
field.


* The APPLDATA value, if any.

***
```

MA a

Connected to remote server/host 204.90.115.184 using lu/pool TCP00019 and port 623

RACF – TSO Command Help



```
Class - svscmvx
File Edit View Communication Actions Window Help

    you have the group-AUDITOR attribute.
    * You have alter access for the profile name from the GLOBAL
      ENTRY TABLE (if this table contains an entry for the profile).
    * If the profile is in the FILE or DIRECTORY class, the second
      qualifier of the profile name is your user ID.
    * For a discrete profile, you are on the access list for the
      resource and you have ALTER authority. (If you have any other
      level of authority, you cannot use the operand.)
    * For a discrete profile, your current connect group (or, if
      list-of-groups checking is active, any group to which you are
      connected) is in the access list and has ALTER authority.
    * For a discrete profile, the universal access authority of the
      resource is ALTER.

SYNTAX
RLIST


The complete syntax of the RLIST command is:

+-----+
| subsystem-prefixRLIST | subsystem-prefixRL |
+-----+
|      | class-name |
+-----+
|      | (profile-name ...) | * |
+-----+
|      | ALL |
+-----+
|      | AT(node.userid ...) | ONLYAT(node.userid ...) |
+-----+
***
```

MA a

Connected to remote server/host 204.90.115.184 using lu/pool TCP00019 and port 623

RACF – Add User Profile



```
Class - svscmvx
File Edit View Communication Actions Window Help

READY
adduser test
READY
lu test tso omvs
USER=TEST NAME=UNKNOWN OWNER=IBMUSER CREATED=10.050
DEFAULT-GROUP=SYS1 PASSDATE=00.000 PASS-INTERVAL= 60 PHRASEDATE=N/A
ATTRIBUTES=NONE
REVOKE DATE=NONE RESUME DATE=NONE
LAST-ACCESS=UNKNOWN
CLASS AUTHORIZATIONS=NONE
NO-INSTALLATION-DATA
NO-MODEL-NAME
LOGON ALLOWED (DAYS) (TIME)
-----
ANYDAY ANYTIME
GROUP=SYS1 AUTH=USE CONNECT-OWNER=IBMUSER CONNECT-DATE=10.050
CONNECTS= 00 UACC=NONE LAST-CONNECT=UNKNOWN
CONNECT ATTRIBUTES=NONE
REVOKE DATE=NONE RESUME DATE=NONE
SECURITY-LEVEL=NONE SPECIFIED
CATEGORY-AUTHORIZATION
NONE SPECIFIED
SECURITY-LABEL=NONE SPECIFIED


NO TSO INFORMATION

NO OMVS INFORMATION
READY
du test
READY
***
```

MA a

Connected to remote server/host 204.90.115.184 using lu/pool TCP00019 and port 623

RACF – Search



```
Class - svscmvx
File Edit View Communication Actions Window Help
search nomask class(dataset)
DASUSER.* (G)
ICQ.* (G)
MASTERY.CATALOG (G)
MVS1.TEST (G)
OMVA.* (G)
SYS1.* (G)
ZIBM000.* (G)
ZIBM001.* (G)
ZIBM002.* (G)
ZIBM003.* (G)
ZIBM004.* (G)
ZIBM005.* (G)
ZIBM006.* (G)
ZIBM007.* (G)
ZIBM008.* (G)
ZIBM009.* (G)
ZIBM010.* (G)
ZIBM011.* (G)
ZIBM012.* (G)
ZIBM013.* (G)
ZIBM014.* (G)
ZIBM015.* (G)
ZIBM016.* (G)
ZIBM017.* (G)
ZIBM018.* (G)
ZIBM019.* (G)
ZIBM020.* (G)
ZIBM021.* (G)
ZIBM022.* (G)
ZIBM023.* (G)
***
MA a
Connected to remote server/host 204.90.115.184 using lu/pool TCP00019 and port 623
```


RACF – Search



The screenshot shows a terminal window with a title bar that reads "Class - svscmvx". The window has a menu bar with "File", "Edit", "View", "Communication", "Actions", "Window", and "Help". The main area of the terminal displays the command `sr class(user) filter(zibm*)` in green text. Below the command, a list of 30 identifiers is shown in red text: `ZIBM000`, `ZIBM001`, `ZIBM002`, `ZIBM003`, `ZIBM004`, `ZIBM005`, `ZIBM006`, `ZIBM007`, `ZIBM008`, `ZIBM009`, `ZIBM010`, `ZIBM011`, `ZIBM012`, `ZIBM013`, `ZIBM014`, `ZIBM015`, `ZIBM016`, `ZIBM017`, `ZIBM018`, `ZIBM019`, `ZIBM020`, `ZIBM021`, `ZIBM022`, `ZIBM023`, `ZIBM024`, `ZIBM025`, `ZIBM026`, `ZIBM027`, `ZIBM028`, and `ZIBM029`. At the bottom of the list, three red asterisks `***` are displayed. The status bar at the very bottom shows a small icon and the text "Connected to remote server/host 204.90.115.184 using lu/pool TCP00019 and port 623".

```
Class - svscmvx
File Edit View Communication Actions Window Help
sr class(user) filter(zibm*)
ZIBM000
ZIBM001
ZIBM002
ZIBM003
ZIBM004
ZIBM005
ZIBM006
ZIBM007
ZIBM008
ZIBM009
ZIBM010
ZIBM011
ZIBM012
ZIBM013
ZIBM014
ZIBM015
ZIBM016
ZIBM017
ZIBM018
ZIBM019
ZIBM020
ZIBM021
ZIBM022
ZIBM023
ZIBM024
ZIBM025
ZIBM026
ZIBM027
ZIBM028
ZIBM029
***
MA a
Connected to remote server/host 204.90.115.184 using lu/pool TCP00019 and port 623
```

RACF – Add User Profile with TSO and Unix Segment



```
Class - svscmvx
File Edit View Communication Actions Window Help
File Edit Edit_Settings Menu Utilities Compilers Test Help


VIEW          CLASS.SETUP.JCL($OUT) - 01.00          Columns 00001 00072
Command ==>          Scroll ==> CSR

***** Top of Data *****
000001 //DEFUSER   JOB 1,NOTIFY=&SYSUID
000002 //ADDID     EXEC PGM=IKJEFT01,REGION=6M
000003 //SYSPRINT DD SYSOUT=*
000004 //SYSTSPRT DD SYSOUT=*
000005 //SYSTEM   DD DUMMY
000006 //SYSTSIN  DD *
000007   mkdir '/u/zibm000'
000008   ADDUSER ZIBM000 PASSWORD(BLUESKY) OPERATIONS -
000009     OWNER(SYS1) DFLTGRP(GROUP1) -
000010     OMVS(HOME('/u/zibm000') PROGRAM('/bin/sh') UID(500)) -
000011     TSO(ACCTNUM(FB3) PROC(DBPROC9G) JOBCLASS(A) -
000012     MSGCLASS(X) HOLDCLASS(X) SYSOUTCLASS(X) -
000013     SIZE(32768) MAXSIZE(1024000))
000014   bpxbatch sh chown ZIBM000:GROUP1 /u/zibm000
000015   PERMIT FB3          CLASS(ACCTNUM) ID(ZIBM000)
000016   PERMIT SPFPROCE     CLASS(TSOPROC) ID(ZIBM000)
000017   PERMIT JCL          CLASS(TSOAUTH) ID(ZIBM000)
000018   PERMIT ACCT         CLASS(TSOAUTH) ID(ZIBM000)
000019   PERMIT MOUNT        CLASS(TSOAUTH) ID(ZIBM000)
000020   PERMIT OPER         CLASS(TSOAUTH) ID(ZIBM000)
000021   AD 'ZIBM000.*' OWNER(ZIBM000) UACC(NONE) GENERIC
000022   mkdir '/u/zibm001'
000023   ADDUSER ZIBM001 PASSWORD(BLUESKY) OPERATIONS -
000024     OWNER(SYS1) DFLTGRP(GROUP1) -
000025     OMVS(HOME('/u/zibm001') PROGRAM('/bin/sh') UID(501)) -
000026     TSO(ACCTNUM(FB3) PROC(DBPROC9G) JOBCLASS(A) -
000027     MSGCLASS(X) HOLDCLASS(X) SYSOUTCLASS(X) -
```

MA a

Connected to remote server/host 204.90.115.184 using lu/pool TCP00019 and port 623

RACF – Adding a TSO and Unix Profile




```
VIEW CLASS.LAB.EXEC(DEFZID) - 01.01 Columns 00001 00072
Command ==> Scroll ==> CSR
***** Top of Data *****
000001 /* REXX */
000002 "FREE FI(indd)"
000003 "FREE FI(outdd)"
000004 "FREE FI(alias)"
000005 "ALLOC FI(indd) DA('CLASS.SETUP.JCL($IN)') SHR REUSE"
000006 "ALLOC FI(outdd) DA('CLASS.SETUP.JCL($OUT)') OLD REUSE"
000007 "ALLOC FI(alias) DA('CLASS.SETUP.JCL($ALIAS)') OLD REUSE"
000008 "EXECIO 0 DISKW alias (OPEN "
000009 "EXECIO 0 DISKW outdd (OPEN "
000010 /*****
000011 d.1 = '//DEFALIAS JOB 1,NOTIFY=&SYSUID'
000012 d.2 = '//ALIAS EXEC PGM=IDCAMS'
000013 d.3 = '//SYSPRINT DD SYSOUT=*'
000014 d.4 = '//SYSIN DD *'
000015 "EXECIO 4 DISKW alias (stem d.
000016 /*****
000017 l.1 = '//DEFUSER JOB 1,NOTIFY=&SYSUID'
000018 l.2 = '//ADDID EXEC PGM=IKJEFT01,REGION=6M'
000019 l.3 = '//SYSPRINT DD SYSOUT=*'
000020 l.4 = '//SYSTSPRT DD SYSOUT=*'
000021 l.5 = '//SYSTEM DD DUMMY'
000022 l.6 = '//SYSIN DD *'
000023 "EXECIO * DISKW outdd (stem l.
000024 /*****
000025 "EXECIO * DISKW indd (STEM u. FINIS"
000026 do i=1 to u.0
000027 u = space(u.i)
```

MA a

Connected to remote server/host 204.90.115.184 using lu/pool TCP00019 and port 623

RACF – Adding a TSO and Unix Profile



```
Class - svscmvx
File Edit View Communication Actions Window Help
File Edit Edit_Settings Menu Utilities Compilers Test Help

VIEW          CLASS.LAB.EXEC(DEFZID) - 01.01          Columns 00001 00072
Command ==>          Scroll ==> CSR

000025 "EXECIO * DISKR indd (STEM u. FINIS"
000026 do i=1 to u.0
000027 u = space(u.i)
000028 l=translate(u,'abcdefghijklmnopqrstuvwxyz','ABCDEFGHIJKLMNOPQRSTUVWXYZ')
000029 U=translate(u,'ABCDEFGHIJKLMNOPQRSTUVWXYZ','abcdefghijklmnopqrstuvwxyz')
000030 uid = 499+i
000031 grp = GROUP1
000032 l.1 = " mkdir '/u/'l'"
000033 L.2 = ' ADDUSER 'U' PASSWORD('BLUESKY') OPERATIONS - '
000034 l.3 = ' OWNER(SYS1) DFLTGRP('grp') - '
000035 l.4 = " OMVS(HOME('/u/'l')) PROGRAM('/bin/sh') UID("uid")) - "
000036 l.5 = ' TSO(ACCTNUM(FB3) PROC(DBPROC9G) JOBCCLASS(A) - '
000037 l.6 = ' MSGCLASS(X) HOLDCLASS(X) SYSOUTCLASS(X) - '
000038 l.7 = ' SIZE(32768) MAXSIZE(1024000))'
000039 l.8 = ' bpxbatch sh chown 'U':GROUP1' '/u/'l
000040 l.9 = ' PERMIT FB3 CLASS(ACCTNUM) ID('U')'
000041 l.10 = ' PERMIT SPFPROCE CLASS(TSOPROC) ID('U')'
000042 l.11 = ' PERMIT JCL CLASS(TSOAUTH) ID('U')'
000043 l.12 = ' PERMIT ACCT CLASS(TSOAUTH) ID('U')'
000044 l.13 = ' PERMIT MOUNT CLASS(TSOAUTH) ID('U')'
000045 l.14 = ' PERMIT OPER CLASS(TSOAUTH) ID('U')'
000046 l.15 = ' AD ''U''.*' OWNER('U') UACC(NONE) GENERIC'
000047 "EXECIO * DISKW outdd (stem l. "
000048 /*****
000049 d.1 = ' DEFINE ALIAS(NAME('U') RELATE(CATALOG.USERAA))'
000050 "EXECIO 1 DISKW alias (stem d. "
000051 /*****
000052 end

MA a
Connected to remote server/host 204.90.115.184 using lu/pool TCP00019 and port 623
```

RACF – User Attributes

SPECIAL - At the system level can issue all RACF commands and is used only for special users, RACF Administrator. This attribute gives the user full control over all of the RACF profiles in the RACF database.

Users with the SPECIAL attribute do not have access to all resources, but they can use commands to give themselves access to all resources.

RACF User Attributes

OPERATIONS - Has full access authorization to all RACF-protected resources in the classes DATASET, DASDVOL, GDASDVOL, PSFMPL, TAPEVOL, VMBATCH, VMCMD, VMMDISK, VMNODE, and VMRDR classes.


RACF User Attributes

AUDITOR - The AUDITOR attribute is given to users who are responsible for auditing RACF security controls and functions. To provide a check and balance on RACF security measures, you should give the AUDITOR attribute to security or group administrators other than those who have the SPECIAL attribute.

RACF User Attributes

REVOKE - You can prevent a RACF user from entering the system by assigning the REVOKE attribute. This attribute is useful when you want to prevent a user from entering the system, but you can or will not use the DELUSER command because the user still owns RACF resource profiles.

RACF Commands in Batch




```
Class - svscmvx
File Edit View Communication Actions Window Help
File Edit Edit_Settings Menu Utilities Compilers Test Help

EDIT          CLASS.LAB.JCL(RACFCMD) - 01.00          Columns 00001 00072
Command ==> sub:=sd;prefix racfcmd;st              Scroll ==> CSR
***** ***** Top of Data *****
000100 //RACFCMD   JOB 1,NOTIFY=&SYSUID
000390 //TSO      EXEC PGM=IKJEFT01
000500 //SYSPRINT DD SYSOUT=*
000600 //SYSTSPRT DD SYSOUT=*
000700 //SYSTEM   DD DUMMY
000800 //ISFOUT    DD DUMMY
000900 //SYSTSIN   DD *
001000 LU ZIBM030 TSO OMVS
001010 LD DA('ZIBM030.*') ALL
002100 /*
***** ***** Bottom of Data *****

IKJ56250I JOB RACFCMD(JOB00668) SUBMITTED
***  _

MR a
Connected to remote server/host 204.90.115.184 using lu/pool TCP00025 and port 623
```

RACF Commands in Batch




The screenshot shows a terminal window with the title bar 'Class - svscmvx'. The menu bar includes 'File', 'Edit', 'View', 'Communication', 'Actions', 'Window', and 'Help'. The main display area shows the following text:

```
-----  
Display Filter View Print Options Help  
-----  
SDSF STATUS DISPLAY ALL CLASSES  
COMMAND INPUT ==>  
PREFIX=RACFCMD DEST=(ALL) OWNER=* SORT=Rd-Date//D Rd-Time//D SYSNAME=  
NP JOBNAME JobID Owner Prty Queue C Pos SAff ASys Status  
? _ RACFCMD JOB00668 IBMUSER 7 EXECUTION A 1  
-----
```

At the bottom of the window, a status bar indicates the connection: 'Connected to remote server/host 204.90.115.184 using lu/pool TCP00025 and port 623'.

RACF Commands in Batch



```
Class - svscmvx
File Edit View Communication Actions Window Help
Display Filter View Print Options Help
-----
SDSF JOB DATA SET DISPLAY - JOB RACFCMD (JOB00668) LINE 1-4 (4)
COMMAND INPUT ==> SCROLL ==> CSR
PREFIX=RACFCMD DEST=(ALL) OWNER=* SYSNAME=
NP DDNAME StepName ProcStep DSID Owner C Dest Rec-Cnt Page
JESMSG LG JES2 2 IBMUSER W LOCAL 18
JESJCL JES2 3 IBMUSER W LOCAL 8
JESYSMSG JES2 4 IBMUSER W LOCAL 15
s_ SYSTSPRT TSO 103 IBMUSER W LOCAL 103

MA a
Connected to remote server/host 204.90.115.184 using lu/pool TCP00025 and port 623
```

RACF Commands in Batch

```
Class - svscmvx
File Edit View Communication Actions Window Help
Display Filter View Print Options Help
-----
SDSF OUTPUT DISPLAY RACFCMD JOB00668 DSID 103 LINE 0 COLUMNS 02- 81
COMMAND INPUT ==> _ SCROLL ==> CSR
***** TOP OF DATA *****
READY
LU ZIBM030 TSO OMVS
USER=ZIBM030 NAME=UNKNOWN OWNER=SYS1 CREATED=10.039
DEFAULT-GROUP=GROUP1 PASSDATE=10.040 PASS-INTERVAL= 60 PHRASEDATE=N/A
ATTRIBUTES=NONE
REVOKE DATE=NONE RESUME DATE=NONE
LAST-ACCESS=10.050/13:00:50
CLASS AUTHORIZATIONS=NONE
NO-INSTALLATION-DATA
NO-MODEL-NAME
LOGON ALLOWED (DAYS) (TIME)
-----
ANYDAY ANYTIME
GROUP=GROUP1 AUTH=USE CONNECT-OWNER=SYS1 CONNECT-DATE=10.039
CONNECTS= 07 UACC=NONE LAST-CONNECT=10.050/13:00:50
CONNECT ATTRIBUTES=NONE
REVOKE DATE=NONE RESUME DATE=NONE
SECURITY-LEVEL=NONE SPECIFIED
CATEGORY-AUTHORIZATION
NONE SPECIFIED
SECURITY-LABEL=NONE SPECIFIED


TSO INFORMATION
-----
ACCTNUM= FB3
HOLDCLASS= X
JOBCLASS= A

MA a
Connected to remote server/host 204.90.115.184 using lu/pool TCP00025 and port 623
```

RACF Commands in Batch

```
Class - svscmvx
File Edit View Communication Actions Window Help
Display Filter View Print Options Help
-----
SDSF OUTPUT DISPLAY RACFCMD JOB00668 DSID 103 LINE 48 COLUMNS 02- 81
COMMAND INPUT ==> _ SCROLL ==> CSR
READY
LD DA('ZIBM030.*') ALL
INFORMATION FOR DATASET ZIBM030.* (G)
LEVEL OWNER UNIVERSAL ACCESS WARNING ERASE
-----
00 ZIBM030 NONE NO NO
AUDITING
-----
FAILURES(READ)
NOTIFY
-----
NO USER TO BE NOTIFIED
YOUR ACCESS CREATION GROUP DATASET TYPE
-----
ALTER SYS1 NON-VSAM
GLOBALAUDIT
-----
NONE
NO INSTALLATION DATA
-----
SECURITY LEVEL
-----
MA a
Connected to remote server/host 204.90.115.184 using lu/pool TCP00025 and port 623
```

RACF Command



```
Class - svscmvx
File Edit View Communication Actions Window Help
Display Filter View Print Options Help
-----
HGX7760 ----- SDSF PRIMARY OPTION MENU -----
COMMAND INPUT ==> ulog;/>rvarv;ulog_ SCROLL ==> CSR

DA      Active users
I       Input queue
O       Output queue
H       Held output queue
ST      Status of jobs

LOG     System log
SR      System requests
MAS     Members in the MAS
JC      Job classes
SE      Scheduling environments
RES     WLM resources
ENC     Enclaves
PS      Processes

END     Exit SDSF


INIT    Initiators
PR      Printers
PUN     Punches
RDR     Readers
LINE    Lines
NODE    Nodes
SO      Spool offload
SP      Spool volumes

RM      Resource monitor
CK      Health checker

ULOG    User session log


M0 a
Connected to remote server/host 204.90.115.184 using lu/pool TCP00025 and port 623
```

RACF Command



```
Class - svscmvx
File Edit View Communication Actions Window Help
Display Filter View Print Options Help
-----
SDSF ULOG CONSOLE IBMUSER LINE 0 COLUMNS 21- 100
COMMAND INPUT ===> _ SCROLL ===> CSR
***** TOP OF DATA *****
16:38:49.41 ISF031I CONSOLE IBMUSER ACTIVATED
16:38:49.41 ->RVAR Y
16:38:49.52 STC00377 IRR011I (>) OUTPUT FROM RVAR Y:
ICH15013I RACF DATABASE STATUS:
ACTIVE USE NUM VOLUME DATASET
-----
YES PRIM 1 VPMVSH SYS1.RACFPRM1
YES BACK 1 VPMVSH SYS1.RACFBCK1
ICH15020I RVAR Y COMMAND HAS FINISHED PROCESSING.
***** BOTTOM OF DATA *****
MA a
Connected to remote server/host 204.90.115.184 using lu/pool TCP00025 and port 623
```

RACF Administrator Utility



The screenshot shows a window titled "Class - svscmvx" with a menu bar (File, Edit, View, Communication, Actions, Window, Help) and a toolbar. Below the menu bar is a sub-menu bar (File, Edit, Edit_Settings, Menu, Utilities, Compilers, Test, Help). The main area displays a JCL submission for "CLASS.LAB.JCL(RACFRPT) - 01.01". The JCL code is shown in green text, and the submission status is "IKJ56250I JOB RACFRPT(JOB00670) SUBMITTED". The window also shows a status bar at the bottom indicating the connection to a remote server.


```
EDIT CLASS.LAB.JCL(RACFRPT) - 01.01 Columns 00001 00072
Command ==> sub; =sd; prefix racfrpt; st Scroll ==> CSR
***** Top of Data *****
000100 //RACFRPT JOB 1,NOTIFY=&SYSUID
000200 //RPT1 EXEC PGM=IRRUT200
000300 //SYSRACF DD DSN=SYS1.RACFPRM1,DISP=SHR
000310 //SYSUT1 DD UNIT=SYSDA,SPACE=(CYL,(10)),
000320 // DCB=(LRECL=4096,RECFM=F)
000400 //SYSUT2 DD SYSOUT=*
000410 //SYSPRINT DD SYSOUT=*
000700 //SYSIN DD *
000800 MAP ALL
000900 INDEX FORMAT
000910 END
000920 //RPT2 EXEC PGM=ICHDSM00
000960 //SYSUT2 DD SYSOUT=*
000970 //SYSPRINT DD SYSOUT=*
000980 //SYSIN DD *
000990 FUNCTION ALL
001000 /*
***** Bottom of Data *****

IKJ56250I JOB RACFRPT(JOB00670) SUBMITTED
*** _
```

MA a

Connected to remote server/host 204.90.115.184 using lu/pool TCP00025 and port 623

RACF Administrator Utility



The screenshot shows a window titled "Class - svscmvx" with a menu bar (File, Edit, View, Communication, Actions, Window, Help) and a toolbar. The main display area shows the output of the command "SDSF STATUS DISPLAY ALL CLASSES". The output includes a header line "SDSF STATUS DISPLAY ALL CLASSES" and a status line "1 Member processed". Below this, the command input is shown: "COMMAND INPUT ==>". The output then displays the command "PREFIX=RACFRPT DEST=(ALL) OWNER=* SORT=Rd-Date//D Rd-Time//D SYSNAME=" and a table of results. The table has columns: NP, JOBNAME, JobID, Owner, Prty, Queue, C, Pos, SAff, ASys, and Status. The first row of data is: "? _ RACFRPT JOB00670 IBMUSER 7 EXECUTION A 1". The status bar at the bottom shows "MA a" and "Connected to remote server/host 204.90.115.184 using lu/pool TCP00025 and port 623".

```
Class - svscmvx
File Edit View Communication Actions Window Help
Display Filter View Print Options Help
-----
SDSF STATUS DISPLAY ALL CLASSES                                     1 Member processed
COMMAND INPUT ==>                                                SCROLL ==> CSR
PREFIX=RACFRPT DEST=(ALL) OWNER=* SORT=Rd-Date//D Rd-Time//D SYSNAME=
NP JOBNAME JobID Owner Prty Queue C Pos SAff ASys Status
? _ RACFRPT JOB00670 IBMUSER 7 EXECUTION A 1
```

MA a
Connected to remote server/host 204.90.115.184 using lu/pool TCP00025 and port 623

RACF Administrator Utility

Class - svscmvx

File Edit View Communication Actions Window Help

Display Filter View Print Options Help

SDSF JOB DATA SET DISPLAY - JOB RACFRPT (JOB00670) LINE 1-7 (7)

COMMAND INPUT ==> SCROLL ==> CSR


PREFIX=RACFRPT DEST=(ALL) OWNER=* SYSNAME=

NP	DDNAME	StepName	ProcStep	DSID	Owner	C	Dest	Rec-Cnt	Page
	JESMSGLG	JES2		2	IBMUSER	W	LOCAL	19	
	JESJCL	JES2		3	IBMUSER	W	LOCAL	13	
	JESYSMSG	JES2		4	IBMUSER	W	LOCAL	28	
	SYSUT2	RPT1		103	IBMUSER	W	LOCAL	4	
\$	SYSPRINT	RPT1		104	IBMUSER	W	LOCAL	1,299	
\$	SYSUT2	RPT2		105	IBMUSER	W	LOCAL	1,187	
	SYSPRINT	RPT2		106	IBMUSER	W	LOCAL	21	

MA a

Connected to remote server/host 204.90.115.184 using lu/pool TCP00025 and port 623

RACF Administrator Utility



```
Class - svscmvx
File Edit View Communication Actions Window Help
Display Filter View Print Options Help
-----
SDSF OUTPUT DISPLAY RACFRPT JOB00670 DSID 104 LINE 338 COLUMNS 02- 81
COMMAND INPUT ==> SCROLL ==> CSR
RACF DATA SET IS 18 PERCENT FULL.
TOTAL NUMBER OF INDEX BLOCKS IN RACF DATA SET 00000011
TOTAL NUMBER OF LEVEL 01 BLOCKS IN RACF DATA SET 00000010
NUMBER OF GROUP ENTRIES - 0000030
NUMBER OF USER ENTRIES - 0000078
NUMBER OF DATASET ENTRIES - 0000041
NUMBER OF ACCTNUM ENTRIES - 0000003
NUMBER OF APPL ENTRIES - 0000001
NUMBER OF CBIND ENTRIES - 0000002
NUMBER OF CIMS ENTRIES - 0000023
NUMBER OF CONSOLE ENTRIES - 0000001
NUMBER OF DASDVOL ENTRIES - 0000001
NUMBER OF DIGTCERT ENTRIES - 0000032
NUMBER OF DSNR ENTRIES - 0000032
NUMBER OF EJBROLE ENTRIES - 0000010
NUMBER OF FACILITY ENTRIES - 0000013
NUMBER OF FIELD ENTRIES - 0000004
NUMBER OF GCICSTRN ENTRIES - 0000001
NUMBER OF GXFACILI ENTRIES - 0000001
NUMBER OF IIMS ENTRIES - 0000001
NUMBER OF LIMS ENTRIES - 0000001
NUMBER OF OPERCMDS ENTRIES - 0000004
NUMBER OF PROGRAM ENTRIES - 0000002
NUMBER OF PTKTDATA ENTRIES - 0000002
NUMBER OF SECLABEL ENTRIES - 0000004
NUMBER OF SERVER ENTRIES - 0000032
NUMBER OF STARTED ENTRIES - 0000074
NUMBER OF TIMS ENTRIES - 0000006
MA a
Connected to remote server/host 204.90.115.184 using lu/pool TCP00025 and port 623
```

RACF Administrator Utility

Class - svscmvx

File Edit View Communication Actions Window Help

Display Filter View Print Options Help

SDSF OUTPUT DISPLAY RACRPT JOB00670 DSID 105 LINE DATA SET DISPLAYED
COMMAND INPUT ==> _ SCROLL ==> CSR

***** TOP OF DATA *****

RACF DATA SECURITY MONITOR

SYSTEM REPORT

CPU-ID 0178E0
CPU MODEL 2097
OPERATING SYSTEM/LEVEL z/OS 1.11.0
SYSTEM RESIDENCE VOLUME VIMVSB
SMF-ID S0W1
RACF (FMID HRF7760) IS ACTIVE
RACF DATA SECURITY MONITOR

PROGRAM PROPERTIES TABLE

PROGRAM NAME	BYPASS PASSWORD PROTECTION	SYSTEM KEY
IEDQTCAM	NO	YES
ISTINM01	YES	YES
IKTCAS00	NO	YES
AHLGTF	NO	YES
HHLGTF	NO	YES
IHLGTF	NO	YES
IEFIIC	NO	YES
IEEMB860	YES	YES
IEEVMNT2	NO	YES
IASXWR00	NO	YES
CSVVFCRE	NO	YES
HASJES20	NO	YES
DFSMVRC0	NO	YES

MA a

Connected to remote server/host 204.90.115.184 using lu/pool TCP00025 and port 623

RACF Administrator Utility

Class - svscmvx

File Edit View Communication Actions Window Help

Display Filter View Print Options Help

SDSF OUTPUT DISPLAY RACFRPT JOB00670 DSID 105 LINE 146 COLUMNS 02- 81
 COMMAND INPUT ==> _ SCROLL ==> CSR

USERID	SPECIAL	OPERATIONS	AUDITOR	REVOKE	NODE.US
DB2ADM	SYSTEM	SYSTEM			
DB2DAL	SYSTEM	SYSTEM			
DB8GRFSH		SYSTEM		SYSTEM	
DB9GENVQ		SYSTEM			
DB9GENV5		SYSTEM			
DB9GENV6		SYSTEM			
DB9GENV7		SYSTEM			
DB9GRFSH		SYSTEM			
DCEADM	SYSTEM	SYSTEM			
IBMUSER	SYSTEM	SYSTEM	SYSTEM		
OPER	SYSTEM				
STCOPER	SYSTEM	GROUP			
STRTASK	SYSTEM	SYSTEM			
SVTSCU	SYSTEM	SYSTEM		SYSTEM	
ZIBM000		SYSTEM			
ZIBM001		SYSTEM			
ZIBM002		SYSTEM			
ZIBM003		SYSTEM			
ZIBM004		SYSTEM			
ZIBM005		SYSTEM			
ZIBM006		SYSTEM			
ZIBM007		SYSTEM			

RACF DATA SECURITY MONITOR

MA a

Connected to remote server/host 204.90.115.184 using lu/pool TCP00025 and port 623

RACF Administration – reset password and resume a revoked user profile

```
//RACFCMD    JOB 1,NOTIFY=&SYSUID
```

```
//STEP1      EXEC PGM=IKJEFT01
```

```
//SYSPRINT   DD SYSOUT=*
```

```
//SYSTSPRT   DD SYSOUT=*
```

```
//SYSTEM     DD DUMMY
```

```
//SYSTSIN    DD *
```

```
    ALU ZIBM001 PASSWORD(BLUESKY) RESUME
```

```
    ALU ZIBM002 PASSWORD(BLUESKY) RESUME
```

RACF Administration – remove OPERATIONS attribute

```
//RACFCMD    JOB 1,NOTIFY=&SYSUID
//STEP1      EXEC PGM=IKJEFT01
//SYSPRINT   DD SYSOUT=*
//SYSTSPRT   DD SYSOUT=*
//SYSTEM     DD DUMMY
//SYSTSIN    DD *
             ALU ZIBM001 NOOPERATIONS
             ALU ZIBM002 NOOPERATIONS
```

Professional Manuals and Information

Security Server (RACF) Bookshelf

RACF Web Site

+ z/OS Security Server RACF

z/OS Security Server RACF Auditor's Guide	SA23-2290-40	17 Dec 2019	PDF	icha800_v2r4.pdf (1.2MB)
z/OS Security Server RACF Command Language Reference	SA23-2292-40	23 Jun 2020	PDF	icha400_v2r4.pdf (3.54MB)
z/OS Security Server RACF General User's Guide	SA23-2298-40	10 Jul 2019	PDF	icha100_v2r4.pdf (748KB)
z/OS Security Server RACF Security Administrator's Guide	SA23-2289-40	23 Jun 2020	PDF	icha700_v2r4.pdf (4.32MB)

Unit summary

Having completed this unit, you should be able to:

- Describe RACF authentication process
- Describe SAF base 'element'
- List RACF commands
- List RACF options
- Understand significance of Protect All switch
- Run RACF administrator and auditor reports
- Reset passwords

